AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions and listings of claims in the application:

1-53 (Cancelled)

- 54. (Currently Amended) A method of producing collagen monomers comprising:
 - (a) providing microorganisms;
- (b) providing contacting collagen-containing tissues with microorganisms wherein the collagen-containing tissues are obtained from animal-selected-from one or more of mammals, aquatic animals, and avian animals, and wherein the microorganisms are bacteria or fungi;
- (b) (e) allowing the microorganisms to ferment the collagen-containing tissues;
 - (c) (d) solubilizing the fermented tissues by the addition of an acidic solution and an enzyme preparation;
 - (d) (e) precipitating the collagen monomers; and
 - (e) (f) obtaining the precipitated collagen monomers,

wherein the precipitated collagen product comprises collagen monomers weighing at least 10% of the weight of the total collagen in said collagen product.

55. (Previously Presented) The method of claim 54, wherein the enzyme preparation comprises pepsin.

- 56. (Previously Presented) The method claim 54, wherein the precipitation is carried out by the addition of salt.
- 57. (Previously Presented) The method of claim 54, wherein the microorganisms are grown for more than 24, 48 or 72 hours before fermenting the collagen-containing tissues.
- 58. (Previously Presented) The method of claim 54, wherein fermentation is performed with agitation and aeration.
- 59. (Previously Presented) The method of claim 54, wherein the collagen product comprises collagen monomers weighing at least 50% of the weight of the total collagen in said collagen product.
 - 60. (Cancelled)
- 61. (Previously Presented) The method of claim 54, wherein the microorganisms comprise generally regarded as safe (GRAS) microorganisms.
- 62. (Currently Amended) The method of claim 54, wherein the microorganisms eemprise are bacteria er-yeast.

- 63. (Previously Presented) The method of claim 62, wherein the bacteria are Gram positive.
- 64. (Previously Presented) The method of claim 63, wherein the bacteria are of the genus Bacillus.
- 65. (Currently Amended) The method of claim 54, wherein the mammals are porcine or bovine.
- 66. (Previously Presented) The method of claim 54, wherein the aquatic animals are fish or shark.
- 67. (Previously Presented) The method of claim 54, wherein the avian animals are chickens
- 68. (Currently Amended) A method of producing collagen monomers comprising:
- (a) previding contacting Gram (+) bacteria belonging to the genus Bacillus in a fermenter with Fermenter:
- (b) previding collagen-containing tissues, wherein the collagencontaining tissues are obtained from one or more of mammalian, aquatic, or avian animal sources:

- (b) (e) allowing the bacteria to ferment the collagen-containing tissues at about 10% w/v to about 40% w/v in the fermenter;
- (c) (d) solubilizing the fermented tissues at about 1% w/v to about 50% w/v in an acidic solution of about 0.5M acetic acid (pH 3.0) with pepsin provided at about 0.2% w/v to about 5% w/v at low temperatures;
- (d) (e) adding salt to the acidic solution sufficient to precipitate collagen and keeping it undisturbed overnight; and
- (e) (f) obtaining the precipitated collagen monomers, wherein the precipitated collagen product comprises collagen monomers weighing at least 10% of the weight of the total collagen in said collagen product.
- 69. (Previously Presented) The method of 68, wherein the collagencontaining tissues are fermented in the fermenter for about 18 hours to about 48 hours.
- 70. (Previously Presented) The method of claim 69, wherein the collagencontaining tissues are fermented at about 10% w/v in the fermenter for about 24 hours.
- 71. (Previously Presented) The method of claim 69, wherein the acidic solution is about 3% w/v of about 0.5M acetic acid (pH 3.0) with pepsin provided at about 0.4% w/v to about 2% w/v and further comprising stirring for not more than about 48 hours when solubilizing the fermented tissues in the acidic solution.

- 72. (Currently Amended) The method of claim 71, wherein the mammalian source is porcine or bovine.
- 73. (Previously Presented) The method of claim 70, wherein the acidic solution is about 3% w/v of about 0.5M acetic acid (pH 3.0) with pepsin provided at about 1% w/v and further comprising stirring for about 48 hours when solubilizing the fermented tissues in the acidic solution.
- 74. (Previously Presented) The method of claim 73, wherein the avian source is chicken.
 - 75. (Cancelled)
- 76. (Previously Presented) The method of claim 68, wherein the low temperatures is at about 4°C.
- 77. (Previously Presented) The method of claim 54, wherein the collagen product comprises collagen monomers weighing at least 50% of the weight of the total collagen in said collagen product.
- 78. (Previously Presented) The method of claim 54, wherein the collagen product comprises collagen monomers weighing at least 80% of the weight of the total collagen in said collagen product.

- 78. (Previously Presented) The method of claim 54, wherein the collagen product comprises collagen monomers weighing at least 80% of the weight of the total collagen in said collagen product.
 - 79. (New) The method of claim 54, wherein the microorganisms are fungi.
 - 80. (New) The method of claim 79, wherein the microorganisms are yeast.
- 81. (New) The method of claim 62, wherein the bacteria are Gram negative.